L Number	Hits	Search Text	DB	Time stamp
-	33160	data\$1base and security	USPAT;	2004/05/28 09:14
		<u>-</u>	US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
-	37706	(re\$1compute or integrat\$ or integrity or	USPAT;	2004/05/28 09:15
		assembl\$ or split\$) with (secret or key\$2)	US-PGPUB;	
			EPO; JPO; IBM TDB	
1_	9	Bloom\$1Shamir	USPAT;	2004/05/28 13:55
	,	B100my15mam11	US-PGPUB;	2004/03/20 13.33
			EPO; JPO;	
	]		IBM TDB	
-	9	(data\$1base and security) and	USPĀT;	2004/05/28 09:32
		((re\$1compute or integrat\$ or integrity or	US-PGPUB;	
		assembl\$ or split\$) with (secret or	EPO; JPO;	
		key\$2)) and ((password\$ or passwd\$ or	IBM_TDB	
		token) adj (based or derivde) with key\$2) and Bloom\$1Shamir		
1_	64	(data\$1base and security) and	USPAT;	2004/05/28 09:58
-		((re\$1compute or integrat\$ or integrity or	US-PGPUB;	2004/03/20 03:30
		assembl\$ or split\$) with (secret or	EPO; JPO;	]
		key\$2)) and ((password\$ or passwd\$ or	IBM TDB	
		token) adj (based or derivde) with key\$2)		
-	15	(((re\$1compute or integrat\$ or integrity	USPAT;	2004/05/28 09:53
		or assembl\$ or split\$) with (secret or	US-PGPUB;	
		key\$2)) and ((password\$ or passwd\$ or	EPO; JPO;	
		token) adj (based or derivde) with key\$2)) not ((data\$1base and security) and	IBM_TDB	
		((re\$1compute or integrat\$ or integrity or		
		assembl\$ or split\$) with (secret or		
		key\$2)) and ((password\$ or passwd\$ or		
		token) adj (based or derivde) with key\$2))		
-	79		USPAT;	2004/05/28 09:59
		assembl\$ or split\$) with (secret or	US-PGPUB;	
		key\$2)) and ((password\$ or passwd\$ or	EPO; JPO;	
	0.7	token) adj (based or derivde) with key\$2)	IBM_TDB	0004/05/00 10 14
_	27	<pre>(((re\$1compute or integrat\$ or integrity or assembl\$ or split\$) with (secret or</pre>	USPAT; US-PGPUB;	2004/05/28 12:14
		key\$2)) and ((password\$ or passwd\$ or	EPO; JPO;	
		token) adj (based or derivde) with key\$2))	IBM TDB	
		and fewer	_	
_	2	6237097.pn. or 5625692.pn.	USPAT;	2004/05/28 13:55
	_		US-PGPUB;	
			EPO; JPO;	
		//wecle-muster on integrate on integration	IBM_TDB	2004/06/01 00.10
_	9	<pre>((re\$1compute or integrat\$ or integrity or assembl\$ or split\$) with (secret or</pre>	USPAT; US-PGPUB;	2004/06/01 09:10
		key\$2)) and ((password\$ or passwd\$ or	EPO; JPO;	
		token) adj (based or derivde) with key\$2)	IBM TDB	
		and Bloom\$1Shamir	-	
-	50	1 , , ,	USPAT;	2004/06/02 09:00
		(based or derivde) with key\$2) and	US-PGPUB;	
		(threshold\$)	EPO; JPO; IBM TDB	
_	107	((password\$ or passwd\$ or token) adj	USPAT;	2004/06/02 09:00
	10/	(based or derivde) with key\$2) not	US-PGPUB;	2004,00,02 09.00
		(((password\$ or passwd\$ or token) adj	EPO; JPO;	
		(based or derivde) with key\$2) and	IBM_TDB	
		(threshold\$))		
-	0	encrypt\$ adj the adj shares	USPAT;	2004/06/07 11:27
			US-PGPUB;	
			EPO; JPO;	
_	32	encrypt\$ adj2 shares	IBM_TDB USPAT;	2004/06/07 11:17
	32	chorypey dujz shares	US-PGPUB;	2007/00/07 11:1/
			EPO; JPO;	
			IBM TDB	
-	2408	master adj key\$2	USPAT;	2004/06/07 11:27
		-	US-PGPUB;	
			EPO; JPO;	
			IBM TDB	

<del>-</del>	9	(encrypt\$ adj2 shares) and (master adj	USPAT;	2004/06/07 11:27
		key\$2)	US-PGPUB;	
			EPO; JPO;	
			IBM TDB	
-	9	((password\$ or passwd\$ or token) adj	USPAT;	2004/06/07 11:36
		(based or derivde) with key\$2) and	US-PGPUB;	
		Bloom\$1Shamir	EPO; JPO;	
			IBM TDB	
-	158	(password\$ or passwd\$ or token) adj (based	USPĀT;	2004/06/07 11:37
1		or derivde) with key\$2	US-PGPUB;	
			EPO; JPO;	
			IBM TDB	
-	1	(encrypt\$ adj2 shares) and (master adj	USPĀT;	2004/06/07 11:37
1		key\$2) and ((password\$ or passwd\$ or	US-PGPUB;	
		token) adj (based or derivde) with key\$2)	EPO; JPO;	
			IBM_TDB	
-	78	(share or shadow or part) adj encryption	USPAT;	2004/06/07 14:36
		adj key\$2	US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
-	20	((share or shadow or part) adj encryption	USPAT;	2004/06/07 14:36
		adj key\$2) and (database)	US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	